Form 2b: Water permit application to take/use surface water



Please answer all questions fully. The questions provide a guide in order to satisfy the minimum information requirements that must be included with your application as prescribed in Schedule 4 of the Resource Management Act 1991 (RMA). Depending on the scale of your proposed activity, more detailed information and an Assessment of Environmental Effects (AEE) will be required to support the resource consent application.

Officers from the Greater Wellington Regional Council's (GWRC) Environmental Regulation department are available to assist with filling out this form or to clarify information to include with your application. Some basic/standard preapplication advice is provided at no cost.

This form is required to be filled out in conjunction with Form 1 Resource Consent Application

P	art A: General inf	ormation on nature and scale of your activity			
۱.	Is this application a	enewal of a water permit to take/use surface water?			
	☐ Yes ☐ No	If Yes, what is the water permit number: WAR/WGN			
<u>.</u>	What is the source o	the water (name of stream, river, lake, etc)?			
	Note: if the waterway is a drain or unnamed tributary, then what is the name of the stream, river, lake or wetland it flows into?				
	Locality map				
	the area to be irrigate	our proposed abstraction point on an appropriately scaled aerial map/plan. Please show I (if applicable), the location of any buildings, septic tanks, neighbouring bores/wells, oth nts, freshwater springs, streams, rivers, wetlands that you know of and any other relevar nding environment.	ner		
	What will be the max	imum rate at which water is taken?			
		litres per second			
		hours per day			
		m³ per day			
		m³ per year			
•		ove amount of surface water requested? (eg, please provide any usage design relating to the surface water take). Use a separate sheet if required.			
	applications. A water mai	atural Resources Plan outline reasonable and efficient use criteria to be used when submitting consent agement plan is required for group/community water supplies. A field validated model is required for on Reasonable Use Database (at http://mycatchment.info/) can be used to justify your irrigation			
,	What will the surfac	e water be used for? (Tick the appropriate box(es)			
	☐ Industry State	type of industry and major use of water:			
	Community State	number of households or population:			

	Other State use	:				
	☐ Irrigation State met	thod of irrigation	☐ spray	trickle	e Dother (state type	э)
	If spray irrigation, what me	thod of spray irrig	gation will be us	ed?		
	☐ centre pivot ☐ tra	evelling irrigator	☐ K line or B	osch sprin	klers	
	Have you changed or upgra	aded your irrigatio	on system if you	ı already h	old a consent? If so ple	ase specify how.
	What is the total area you	Crop(s)		ha	Crop type:	
	will be irrigating?	☐ Pasture		ha		
		Horticulture		ha	Horticulture type:	
		Other		ha	Please specify:	
	(please show clearly the ar	ea to be irrigated	on a scaled ae	rial map)		
	Please describe the soil typ	pe and characteri	istics for the ar	ea to be irri	gated:	
-						
7.	Is there a water meter ins	stalled on the pu	mp?	☐ Yes	□ No	
	If Yes, please answer ques	tions 8-12 below				
	If No, when do you plan to	install a water me	eter?			
8.	What is the water meter t	type? 🗌 Maş	gflow	Ultraso	onic	
		☐ Med	chanical	Other:		
9.	What is the water meter s	serial number an	d brand type?			
	Is the meter \Box in situ or \Box	on a mobile ur	nit? (please tick	one)		
10.	Has the water meter beer	n verified?		☐ Yes	□ No	
	If Yes, who verified the wat	er meter and whe	en?			
11.	What is the distance betv	ween the water n	neter and the p	oumping lo	ocation?	metres
	Note: Under the Resource Mana GWRC if your water meter is loc					roval is required from
	If the distance identified in	_		-		meter is located
	where it is, and mark speci	Tically where you	r water meter is	s tocated ir	n question 13 below:	
40	NA// A : Al					
	What is the pump make, t	_				
	Is the pump 🗌 submersib	le or ∐ surface/	suction lift? (p	lease tick o	one)	
	What is the maximum capa	acity of your pum	p?	litres per	second	

<u> </u>	Structure details (eg, dam, weir, galle	ery or intake)
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No	existing consent for your activity, pleas	se provide photos and/or plans of any structures. If your activity is new,
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
pipe in relation to the stream bank and bed and location of any other structures in the stream. If more space is required for the diagram, please attach a separate sheet to this application form. Is the intake screened? Yes No		
Is the intake screened?	pipe in relation to the stream bank and	bed and location of any other structures in the stream. If more space is
<u> </u>	required for the diagram, please attach	a separate sheet to this application form.
If Vac. what size intake screen is used?	Is the intake screened?	☐ Yes ☐ No
	If Yes, what size intake screen is used?	(mm x mm)

Part B: Assessment of effects on the environment (AEE) For most new applications and replacement or variation applications where more water is required, a more detailed AEE will be required in order to answer the questions detailed below. Are there any alternative water sources available to you (eg, groundwater, ponds, ☐ Yes □ No lakes, other rivers)? If Yes, please explain why you have chosen this option and not alternative options: 2. There may be other resource users on the stream, river or lake where you propose to take water. Within a reasonable distance (1 kilometre) upstream or downstream of the surface water abstraction point are there □ No Obvious signs of biota (eg, fish, eels, insect life, aquatic plants)? Yes Areas where food is gathered from the stream (eg, watercress, eels, wild fowl, ☐ Yes kaimoana)? ☐ Yes \square No Wetlands (eg, swamp areas)? Note: For replacement applications, Greater Wellington will carry out an initial (desktop GIS) assessment of your take and use areas to look for the presence of potential wetlands. If potential wetlands are present, you will be contacted by your Resource Advisor to discuss next steps. For new applications you may be asked for this information as part of your application. □No Waste discharges (eg, from cow sheds, piggeries, industries, sewage plants)? ☐ Yes Recreational activities carried out (eg, swimming, fishing, canoeing)? \square No Areas of particular cultural, spiritual, aesthetic, scientific or amenity value (eg, scenic waterfall, rapids, waahi tapu archaeological sites)? Yes ☐ No Other takes (eg, for domestic, public water supply, stock, irrigation use)? If you have ticked Yes to any of the above, please provide further details:

3.	Comment on the possible adverse effects on the environment of the proposed take and any proposed structure described in Question 14 (Part A). Particular attention should be given to the effects on:
	Availability of water to downstream users – please attach any river/stream flow data or observations which show that there is sufficient water available in the watercourse for all resource users, particularly during summer low flow periods:
	The natural character of the river, lake or stream and visual aesthetics:
	Cultural, spiritual, historic, recreational, scientific, and/or amenity values:
	Ecology (eg, river and lake habitat, vegetation, fish, and wildlife):
	River flow:

Part C: Assessment against statutory documents 1. Part 2 of Resource Management Act 1991 (RMA) Have you provided an assessment against Part 2 (Purpose and Principles) of the RMA? http://www.legislation.govt.nz/act/public/1991/0069/latest/DLM231904.html National Environmental Standards for Freshwater 2020 (NESFW) Have you provided an assessment of the proposal against the Resource Management (National Environmental Standards for Freshwater) Regulations 2020 for the taking, using, damming or diversion of water within, or within 100m of natural inland wetlands (https://www.legislation.govt.nz/regulation/public/2020/0174/latest/LMS364099.html) 3. Other National Environmental Standard (NES) or National Policy Statement (NPS) Have you provided an assessment of the proposal against the relevant objectives and policies of any other National Environmental Standard (https://environment.govt.nz/acts-and-regulations/regulations/) or National Policy Statement (https://environment.govt.nz/acts-and-regulations/national-policy-statements/)? 4. Regional Policy Statement (RPS) Have you provided an assessment of the proposal against the relevant objectives and policies of any proposed or operative Regional Policy Statement (http://www.gw.govt.nz/rps/)?

5.	Natural Resources Plan (NRP)			
	Have you provided an assessment of the proposal against the relevant objectives, policies and rules of the operative or proposed Natural Resources Plan (https://www.gw.govt.nz/your-region/plans-policies-and-			
	bylaws/plans-and-reports/environmental-plans/natural-resources-plan/)?			
6.	Other relevant statutory documents			
	Have you provided an assessment against all other relevant statutory documents? Resource Management (Measurement and Reporting of Water Takes) Regulations 2010 (https://www.mfe.govt.nz/fresh-water/regulations-measurement-and-reporting-water-takes)			
_				
/.	Permitted activities Will you be undertaking any permitted activities as part of the proposed activity? (ag. taking demostic (atask under			
	Will you be undertaking any permitted activities as part of the proposed activity? (eg, taking domestic/stock water, removal of vegetation from the watercourse, damming or diversion by existing (pre 25/01/1997) structures, minor			
	diversion of water from an intermittently flowing stream).			

9.	Value of investment
	If you are applying to replace an existing consent, please provide an assessment of the value of the investment to which the activity relates (eg, value of irrigation infrastructure).
P	art D: Monitoring and management of your activity
1.	What monitoring/management procedures do you propose to carry out to ensure that your take will avoid, remedy or mitigate any potential adverse effects described in Question 3 (Part B)?
	(This may, but is not limited to, any monitoring of surface water bodies including wetlands that may be undertaken)
2.	If you are required to submit water use records, how will you submit any records to GWRC?
	Electronically via a third party data host provider. State your provider
	There are a number of companies that host water use data. By ticking this box you agree for that data provider to automatically submit water use records to GWRC's water use data management system. If you do not agree to the data provider submitting water use records, please explain why below:
	☐ Electronically GWRC's WATER USE website (http://wateruse.gw.govt.nz/)
	Other:
	If water use records are submitted in a manner that requires entry of individual records into GWRC's water use data management system by GWRC staff, this will incur higher compliance monitoring charges.
3.	What measures will you take during times of water shortage (eg, periods of low flow)?
	Note: Some of the Wellington region's stream and river flows are monitored by GWRC. Any low flow restrictions placed on a particular stream or river can be viewed on our website www.gw.govt.nz .

4.	Do you have internet access and are prepared to monitor low flows via GWRC's website?*		
	☐ Yes ☐ No		
	Do you have email access and are prepared to receive email notices of low river flows?*		
	☐ Yes ☐ No		
	Email:		
	Do you have cell phone text access and are prepared to receive text notices of low river flows?*		
	☐ Yes ☐ No		
	Cell phone number:		
	*Note: This is only possible for rivers and streams monitored by GWRC.		